

## 暴力のリスクアセスメントと対策について考える

～包括的暴力防止プログラム（CVPPP）学習会の事前・事後カンファレンスを通して  
見えてきたもの～

浅雄崇孝<sup>1)</sup> 小西愛子<sup>1)</sup> 蔵本和雄<sup>1)</sup> 丸毛洋子<sup>1)</sup> 小川佳子<sup>1)\*</sup> 沖好子<sup>1)</sup>

1) 国立病院機構鳥取医療センター看護部 9 病棟

### Risk assessment of and countermeasures against patient violence toward nurses and other patients in psychiatric wards

–The effects of conferences before and after the study meeting on Comprehensive Violence  
Prevention and Protection Program (CVPPP)–

Takanori Asao<sup>1)</sup>, Aiko Konishi<sup>1)</sup>, Kazuo Kuramoto<sup>1)</sup>, Yoko Marumo<sup>1)</sup>,  
Keiko Ogawa<sup>1)\*</sup>, Yoshiko Oki<sup>1)</sup>

1) The 9th Ward, Department of Nursing, NHO Tottori Medical Center

\*Correspondence: byoutou9@tottori-iryu.hosp.go.jp

#### 要旨

A 病院 B 病棟では、患者による暴力・衝動行為の事例が 1 年間で 14 件挙がっており、包括的暴力防止プログラム（CVPPP）を学習する必要性を感じた。そこで CVPPP の学習会を行ない、学習会の前および後のカンファレンスでの暴力患者事例に対するリスクアセスメントおよび対策について、その考え方や意見の変化を読み取ることで、B 病棟の現状を明らかにし、今後に必要な取り組みについて考察した。B 病棟において将来的に暴力の件数を減らすための取り組みとして、暴力をテーマとし CVPPP に沿って検討するカンファレンスを充実していくことで、暴力のリスクマネジメントおよびその対策を体系化された言語にて看護師間で共有すること、そのような機会を作ることで、CVPPP の研修をしていない看護師でも、暴力事例について、経験的な技能を言語化した技術にすることができるが、その機会の与え方は今後の課題であって、実践に近い学習方法や反復した学習方法の検討することが必要と考える。今回の取り組みにて、患者の暴力において、その患者の特徴を捉えようとする意識が高まったと言える。鳥取臨床科学 5(2), 88-93, 2013

#### Abstract

Fourteen cases of violence and impulsive behavior by inpatients against nursing staff and other inpatients in psychiatric ward B in Hospital A were reported from April 2010 to March 2011. This made us consider the necessity of a Comprehensive Violence Prevention and Protection Program (CVPPP); therefore, a study meeting on the CVPPP was planned. Then, before and after this study meeting, we evaluated the views and opinions of nursing staff regarding the risk assessment of and countermeasures against violence by psychiatric inpatients toward nurses and other inpatients. From this evaluation, the present actual conditions on the approach and solution to cases of violence were clarified, and subsequently the future approach and solutions were discussed to reduce the cases. As a result, it is necessary to be aware that: (i) ward nurses should share strategies for the risk management of violence by